

PREPARED BY:

Name: Terry Rice
Foley-Rice Cadillac & Oldsmobile

Address: 700-728 Madison Street
Oak Park, IL 60302

RETURN TO:

Name: Terry Rice
Foley-Rice Cadillac & Oldsmobile

Address: 711 Madison Street
Oak Park, IL 60302

RECORDED
NFR



Doc#: 0510339047
Eugene "Gene" Moore Fee: \$34.50
Cook County Recorder of Deeds
Date: 04/13/2005 11:43 AM Pg: 1 of 6

0312255013 COOK
Foley Rice Cadd Olds
LUST Tech

(THE ABOVE SPACE FOR RECORDER'S OFFICE)

LEAKING UNDERGROUND STORAGE TANK ENVIRONMENTAL NOTICE

THE OWNER AND/OR OPERATOR OF THE LEAKING UNDERGROUND STORAGE TANK SYSTEM(S) ASSOCIATED WITH THE RELEASE REFERENCED BELOW, WITHIN 45 DAYS OF RECEIVING THE NO FURTHER REMEDIATION LETTER CONTAINING THIS NOTICE, MUST SUBMIT THIS NOTICE AND THE REMAINDER OF THE NO FURTHER REMEDIATION LETTER TO THE OFFICE OF THE RECORDER OR REGISTRAR OF TITLES OF COOK COUNTY IN WHICH THE SITE DESCRIBED BELOW IS LOCATED.

Illinois EPA Number: 0312255013
LUST Incident No.: 20041538

Foley-Rice Cadillac & Oldsmobile, Terry Rice, the owner and/or operator of the leaking underground storage tank system(s) associated with the above-referenced incident, whose address is 711 Madison Street, Oak Park, IL 60302, has performed investigative and/or remedial activities for the site identified as follows and depicted on the attached UST Location Map:

1. Legal Description or Reference to a Plat Showing the Boundaries: Lots 17, 18, 19, 20, 21 and 22 in Block 4 of the subdivision of block 4 in Ogden and Jones subdivision of the Southwest quarter of the Southeast quarter of Section 7, Township 39, North Range 13 East of the Third Principal Meridian, in Cook County, Illinois
2. Common Address: 700-728 Madison Street, Oak Park, IL
3. Real Estate Tax Index/Parcel Index Number: 16-07-418-014-0000, 16-07-418-017-0000, 16-07-418-018-0000, 16-07-417-020-0000
4. Site Owner: Foley-Rice Cadillac & Oldsmobile, Terry Rice
5. Land Use Limitation: There are no land use limitations.
6. See the attached No Further Remediation Letter for other terms.

BJD

Attachment: UST Location Map

RECEIVED
RELEASEABLE
AUG 19 2005
IEPA/BOL
REVIEWER MD

Alley

500 GAL
GASOLINE
UST (TANK 2)

Alley

500 GAL
GASOLINE UST
(TANK 1)

Euclid Avenue

Madison Street

UST Location Map

Site location: 700-728 Madison Street
Oak Park, IL

Project # 110431
Date: 3/17/05

Property Line

Gabriel Environmental Services

1421 N. Elston Ave
Chicago, IL 60622

phone (773) 486-2123
fax (773) 486-0004



1 inch equals 30 feet



ILLINOIS ENVIRONMENTAL PROTECTION AGENCY

1021 NORTH GRAND AVENUE EAST, P.O. BOX 19276, SPRINGFIELD, ILLINOIS 62794-9276, 217-782-3397
JAMES R. THOMPSON CENTER, 100 WEST RANDOLPH, SUITE 11-300, CHICAGO, IL 60601, 312-814-6026

ROD R. BLAGOJEVICH, GOVERNOR

RENEE CIPRIANO, DIRECTOR

217/782-6762

CERTIFIED MAIL

7002 3150 0000 1110 1651

MAR 29 2005

Foley-Rice Cadillac & Oldsmobile
Terry Rice
711 Madison Street
Oak Park, IL 60302

Re: LPC # 0312255013 -- Cook County
Oak Park/ Foley-Rice Cadillac & Oldsmobile
700-728 Madison Street
LUST Incident No. 20041538
LUST Technical File

Dear Mr. Rice:

The Illinois Environmental Protection Agency (Illinois EPA) has reviewed the 45-Day Report/ Corrective Action Completion Report submitted for the above-referenced incident. This information was dated February 16, 2005 and was received by the Illinois EPA on February 18, 2005. Citations in this letter are from the Environmental Protection Act (Act), as amended by Public Act 92-0554 on June 24, 2002, and 35 Illinois Administrative Code (35 Ill. Adm. Code).

The Corrective Action Completion Report and the Professional Engineer Certification submitted pursuant to Section 57.6 of the Act indicate the remediation objectives have been met.

Based upon the certification by John Polich, a Licensed Professional Engineer, and pursuant to Section 57.10 of the Act (415 ILCS 5/57.10), your request for a no further remediation determination is granted under the conditions and terms specified in this letter.

Issuance of this No Further Remediation Letter (Letter), based on the certification of the Licensed Professional Engineer, signifies that: (1) all statutory and regulatory corrective action requirements applicable to the occurrence have been complied with; (2) all corrective action concerning the remediation of the occurrence has been completed; and (3) no further corrective action concerning the occurrence is necessary for the protection of human health, safety, and the environment. Pursuant to Section 57.10(d) of the Act, this Letter shall apply in favor of the following parties:

1. Foley-Rice Oldsmobile & Cadillac, Terry Rice, the owner or operator of the underground storage tank system(s).
2. Any parent corporation or subsidiary of such owner or operator.
3. Any co-owner or co-operator, either by joint tenancy, right-of-survivorship, or any other party sharing a legal relationship with the owner or operator to whom the Letter is issued.

Page 2

4. Any holder of a beneficial interest of a land trust or inter vivos trust whether revocable or irrevocable.
5. Any mortgagee or trustee of a deed of trust of such owner or operator.
6. Any successor-in-interest of such owner or operator.
7. Any transferee of such owner or operator whether the transfer was by sale, bankruptcy proceeding, partition, dissolution of marriage, settlement or adjudication of any civil action, charitable gift, or bequest.
8. Any heir or devisee of such owner or operator.

This Letter and all attachments, including but not limited to the Leaking Underground Storage Tank Environmental Notice, must be filed within 45 days of receipt as a single instrument with the Office of the Recorder or Registrar of Titles in the county in which the above-referenced site is located. This Letter shall not be effective until officially recorded by the Office of the Recorder or Registrar of Titles of the applicable county in accordance with Illinois law so it forms a permanent part of the chain of title for the above-referenced property. Within 30 days of this Letter being recorded, an accurate and official copy of this Letter, as recorded, shall be obtained and submitted to the Illinois EPA. For recording purposes, it is recommended that the Leaking Underground Storage Tank Environmental Notice of this Letter be the first page of the instrument filed.

CONDITIONS AND TERMS OF APPROVAL

LEVEL OF REMEDIATION AND LAND USE LIMITATIONS

1. The remediation objectives for the above-referenced site, more particularly described in the Leaking Underground Storage Tank Environmental Notice of this Letter, were established in accordance with the requirements of the Tiered Approach to Corrective Action Objectives (35 Ill. Adm. Code 742) rules.
2. As a result of the release from the underground storage tank system(s) associated with the above-referenced incident, the above-referenced site, more particularly described in the attached Leaking Underground Storage Tank Environmental Notice of this Letter, shall not be used in a manner inconsistent with the following land use limitation: There are no land use limitations.
3. The land use limitation specified in this Letter may be revised if:
 - a. Further investigation or remedial action has been conducted that documents the attainment of objectives appropriate for the new land use; and
 - b. A new No Further Remediation Letter is obtained and recorded in accordance with Title XVII of the Act and regulations adopted thereunder.

PREVENTIVE, ENGINEERING, AND INSTITUTIONAL CONTROLS

4. Preventive: None.
Engineering: None.
Institutional: This Letter shall be recorded as a permanent part of the chain of title for the above-referenced site, more particularly described in the attached Leaking Underground Storage Tank Environmental Notice of this Letter.
5. Failure to establish, operate, and maintain controls in full compliance with the Act, applicable regulations, and the approved corrective action plan, if applicable, may result in avoidance of this Letter.

OTHER TERMS

6. Any contaminated soil or groundwater removed or excavated from, or disturbed at, the above-referenced site, more particularly described in the Leaking Underground Storage Tank Environmental Notice of this Letter, must be handled in accordance with all applicable laws and regulations under 35 Ill. Adm. Code Subtitle G.
7. Further information regarding the above-referenced site can be obtained through a written request under the Freedom of Information Act (5 ILCS 140) to:
- Illinois Environmental Protection Agency
Attention: Freedom of Information Act Officer
Bureau of Land - #24
1021 North Grand Avenue East
Post Office Box 19276
Springfield, IL 62794-9276
8. Pursuant to 35 Ill. Adm. Code 732.704, should the Illinois EPA seek to void this Letter, the Illinois EPA shall provide notice to the owner or operator of the leaking underground storage tank system(s) associated with the above-referenced incident and the current title holder of the real estate on which the tanks were located, at their last known addresses. The notice shall specify the cause for the avoidance, explain the provisions for appeal, and describe the facts in support of the avoidance. Specific acts or omissions that may result in the avoidance of this Letter include, but shall not be limited to:
- a. Any violation of institutional controls or industrial/commercial land use restrictions;
 - b. The failure to operate and maintain preventive or engineering controls or to comply with any applicable groundwater monitoring plan;
 - c. The disturbance or removal of contamination that has been left in-place in accordance with the Corrective Action Plan or Completion Report;

Page 4


- d. The failure to comply with the recording requirements for the Letter;
- e. Obtaining the Letter by fraud or misrepresentation; or
- f. Subsequent discovery of contaminants, not identified as part of the investigative or remedial activities upon which the issuance of the Letter was based, that pose a threat to human health or the environment.

Submit an accurate and official copy of this Letter, as recorded, to:

Illinois Environmental Protection Agency
Bureau of Land - #24
Leaking Underground Storage Tank Section
1021 North Grand Avenue East
Post Office Box 19276
Springfield, IL 62794-9276

If you have any questions or need further assistance, please contact the Illinois EPA project manager, Brad Dilbaitis, at (217) 785-8378.

Sincerely,



Hernando A. Albarracin
Unit Manager
Leaking Underground Storage Tank Section
Division of Remediation Management
Bureau of Land

HAA:BJD:B\NFR.doc

Attachments: Leaking Underground Storage Tank Environmental Notice
UST Location Map

c: Gabriel Environmental Services
Division File

Please return to: Scott Galbreath
Shaheen, Novoselsky, Staat,
Filipowski & Eccleston, P.C.
20 North Wacker Drive, Suite 2900
Chicago, Illinois 60606



ILLINOIS ENVIRONMENTAL PROTECTION AGENCY

1021 NORTH GRAND AVENUE EAST, P.O. BOX 19276, SPRINGFIELD, ILLINOIS 62794-9276, 217-782-3397

JAMES R. THOMPSON CENTER, 100 WEST RANDOLPH, SUITE 11-300, CHICAGO, IL 60601, 312-814-6026

ROD R. BLAGOJEVICH, GOVERNOR

217/782-6762

July 27, 2005

CERTIFIED MAIL

7004 2510 0001 8647 2630

Foley Rice Cadillac & Oldsmobile
711 Madison Street
Oak Park, IL 60302

Re: LPC # 0312255013-- Cook County
Oak Park/Foley Rice Cadillac & Oldsmobile
700-728 Madison Street
LUST Incident No. 20041538
LUST Technical File

Dear Sir or Madam:

On 3/29/2005, the Illinois Environmental Protection Agency (Illinois EPA) issued to you, as the owner or operator of record, a No Further Remediation (NFR) Letter for the above-referenced incident pursuant to Section 57.10 of the Environmental Protection Act (Act) (415 ILCS 5/57.10) and 35 Illinois Administrative Code (35 Ill. Adm. Code) 732, Subpart G. Please be advised that 35 Ill. Adm. Code 732.703(a) requires an owner or operator receiving an NFR Letter to submit the NFR Letter, with a copy of any applicable institutional controls proposed as part of a corrective action completion report, to the Office of the Recorder or Registrar of Titles of the county in which the site is located within 45 days after receipt of the NFR Letter. The NFR Letter shall be filed in accordance with Illinois law so that it forms a permanent part of the chain of title. The Illinois EPA may, pursuant to 35 Ill. Adm. Code Section 732.704(a)(5), void an NFR Letter for failure to officially record the NFR Letter and any attachments in a timely manner in accordance with 35 Ill. Adm. Code 732.703(a).

Additionally, pursuant to 35 Ill. Adm. Code 732.703(b), within 30 days after the official recording of the NFR Letter by the Office of the Recorder or Registrar of Titles of the applicable county, an accurate and official copy of the NFR Letter and any attachments, as recorded, must be submitted to the Illinois EPA.

Our records indicate that, as of this date, the Illinois EPA has not received the certified copy of the 3/29/2005 NFR Letter and any attachments, as recorded. Therefore, the Illinois EPA requires that you provide said copy, as recorded, within 30 days of the date of this letter to the following address:

ROCKFORD - 4302 North Main Street, Rockford, IL 61103 - (815) 987-7760 • DES PLAINES - 9511 W. Harrison St., Des Plaines, IL 60016 - (847) 294-4000
ELGIN - 595 South State, Elgin, IL 60123 - (847) 608-3131 • PEORIA - 5415 N. University St., Peoria, IL 61614 - (309) 693-5463
BUREAU OF LAND - PEORIA - 7620 N. University St., Peoria, IL 61614 - (309) 693-5462 • CHAMPAIGN - 2125 South First Street, Champaign, IL 61820 - (217) 278-5800
SPRINGFIELD - 4500 S. Sixth Street Rd., Springfield, IL 62706 - (217) 786-6892 • COLLINSVILLE - 2009 Mall Street, Collinsville, IL 62234 - (618) 346-5120
MARION - 2309 W. Main St., Suite 116, Marion, IL 62959 - (618) 993-7200


Page 2

Illinois Environmental Protection Agency
Bureau of Land - #24
Leaking Underground Storage Tank Section
1021 North Grand Avenue East
Post Office Box 19276
Springfield, Illinois 62794-9276

Without an accurate and official copy of the recorded NFR Letter and any attachments received by this office by the date requested, the Illinois EPA cannot confirm its official recording and, consequently, will take action to void the NFR Letter.

If you have any questions or need further assistance, please contact me at 217/524-6713.

Sincerely,



Michelle Bentley
Leaking Underground Storage Tank Section
Division of Remediation Management
Bureau of Land

cc: Division File