



December 2, 2022

COVID-19 Status Report  
Oak Park Village Board of Trustees

To: Kevin Jackson, Village Manager

From: Dr. Theresa Chapple-McGruder, Health Director

For: Village President and Village Board of Trustees

The memo is a status report presented Fridays and provides a brief summary of information regarding Village of Oak Park operational activities in response to COVID-19. This report covers two weeks, the week of Nov. 16-23, and the week of Nov. 23-30. Last week's report was delayed by the holiday.

### **New COVID-19 Cases**

From November 16 – November 23, 2022, the Village of Oak Park Department of Public Health received official notification of 67 COVID-19 cases. This is a 42.6 percent increase over the previous 7-day period and a 16.3 percent decrease over the cases 30 days ago.

The Village of Oak Park Department of Public Health received official notification of 60 COVID-19 cases from November 23 – November 30, 2022. This is a 10.4 percent decrease over the last 7-day period and a 13.2 percent increase over the cases 30 days ago.

These numbers do not reflect those who tested positive using at home self-administered test. At-home test must be confirmed at an official testing site (pharmacy, physician office, health department, school, etc.) in order to be included in the official state count.

If you test positive on a home test and decide not to test at an official testing facility, please alert the Health Department of your positive home test by emailing name, age, zip code and date of positive test to [health@oak-park.us](mailto:health@oak-park.us). While this won't be included in the official tally, it will help give the Health Department a sense of the number of new cases beyond the official tally it receives from the state. All who report at-home positive test results will receive COVID-19 education and free at-home test from the health department, while supplies last.

### **COVID-19 Community Levels**

On February 25, 2022, the CDC introduced COVID-19 Community Levels of low, medium, and high. COVID-19 Community Levels help individuals and communities decide which prevention actions to take based on the latest information. Each level helps convey how much COVID-19 is impacting our community using data on hospitalizations and cases. For each level, CDC

recommends actions you can take to help you protect yourself and others from severe impacts of COVID-19.

Oak Park is in the **low** level this week, as defined by fewer than 200 new cases per 100,000 (we have 110) and new COVID-19 admissions per 100,000 population less than 10 (we have 4). Cook County is in the **medium** community level this week. Our overall percent of staffed inpatient beds occupied by COVID-19 patients is still less than 10% (Cook County reports 5.7 percent as of November 26, which is a 14.6 percent increase from last week).

Last week, Oak Park was also in the **low** level with 123 new cases per 100,000 and 2 new COVID-19 admissions per 100,000. Cook County was in the **medium** community level last week. The overall percent of staffed inpatient beds occupied by COVID-19 patients was still less than 10 percent (Cook County reported 4.9 percent as of November 19, which is a 1.7 percent decrease from the previous week).

As Oak Park remains in the low community level, the health department wants to remind people of CDC's precautions which include:

- Stay up-to-date with COVID-19 vaccines
- Get tested if you have symptoms
- Take additional precautions if you, anyone in your household, or people you work with/serve are at high-risk for severe illness

The health department is advising that you wear a mask when around the vulnerable, and consider wearing a mask indoors in public and on public transportation.

Additional guidance from the health department includes that individuals:

- Stay at home when sick
- Test at the first sign of illness (even if you think it may be allergies)
- Isolate for a minimum of five days if you test positive and wear a high-quality mask if you reenter society prior to 10 days post infection
- Consider using a rapid antigen test before ending isolation as many remain infectious post their five-day isolation period.

The health department has issued new guidance to aid our residents who have tested positive. Please see the COVID-19 guidance and order page for more information.

If you are a close contact, wear a high-quality mask for 10 days and get tested on day 5, regardless of vaccination status.

As weather allows, consider hosting events outdoors and asking guests to test prior to arriving.

Many people in Oak Park travel throughout the county and as a result experience a greater risk of contracting COVID-19. Although Oak Park is in the low community level, we recommend following the medium community level prevention strategies for Oak Park residents that frequently travel throughout the county. Oak Park residents that tend to be more stationary within Oak Park may follow the low community level prevention strategies.

CDC's recommendations on individual, household, and community level prevention strategies:

COVID-19 Community Level	Individual- and household-level prevention behaviors	Community-level prevention strategies (as recommended by state or local authorities)
<b>Low</b>	<ul style="list-style-type: none"> <li>• Stay up to date with COVID-19 vaccines and boosters</li> <li>• Maintain improved ventilation throughout indoor spaces when possible</li> <li>• Follow CDC recommendations for isolation and after exposures, including getting tested if you are exposed to COVID-19 or have symptoms of COVID-19</li> <li>• If you are immunocompromised or high risk for severe disease</li> <li>• Have a plan for rapid testing if needed (e.g., having home tests or access to testing)</li> <li>• Talk to your healthcare provider about whether you are a candidate for treatments like oral antivirals, PrEP, and monoclonal antibodies</li> </ul>	<ul style="list-style-type: none"> <li>• Distribute and administer vaccines to achieve high community vaccination coverage and ensure health equity</li> <li>• Maintain improved ventilation in public indoor spaces</li> <li>• Ensure access to testing, including through point-of-care and at-home tests for all people <ul style="list-style-type: none"> <li>○ Communicate with organizations and places that serve people who are immunocompromised or at high risk for severe disease to ensure they know how to get rapid testing</li> </ul> </li> <li>• Ensure access and equity in vaccination, testing, treatment, community outreach, support services for disproportionately affected populations</li> </ul>

COVID-19 Community Level	Individual- and household-level prevention behaviors	Community-level prevention strategies (as recommended by state or local authorities)
<b>Medium</b>	<ul style="list-style-type: none"> <li>• If you are immunocompromised or <a href="#">high risk</a> for severe disease <ul style="list-style-type: none"> <li>○ Talk to your healthcare provider about whether you need to wear a mask and take other precautions (e.g., testing)</li> <li>○ Have a plan for rapid testing if needed (e.g., having home tests or access to testing)</li> <li>○ Talk to your healthcare provider about whether you are a candidate for treatments like oral antivirals, PrEP, and monoclonal antibodies</li> </ul> </li> <li>• If you have household or social contact with someone at <a href="#">high risk</a> for severe disease <ul style="list-style-type: none"> <li>○ consider self-testing to detect infection before contact</li> <li>○ consider wearing a mask when indoors with them</li> </ul> </li> <li>• Stay up to date with COVID-19 vaccines and boosters</li> <li>• Maintain improved ventilation throughout indoor spaces when possible</li> <li>• Follow CDC recommendations for isolation and quarantine, including getting tested if you are exposed to COVID-19 or have symptoms of COVID-19</li> </ul>	<ul style="list-style-type: none"> <li>• Protect people at <a href="#">high risk</a> for severe illness or death by ensuring equitable access to vaccination, testing, treatment, support services, and information</li> <li>• Consider implementing screening testing or other testing strategies for people who are exposed to COVID-19 in workplaces, schools, or other community settings as appropriate</li> <li>• Implement enhanced prevention measures in high-risk congregate settings (see guidance for <a href="#">correctional facilities</a> and <a href="#">homeless shelters</a>)</li> <li>• Distribute and administer vaccines to achieve high community vaccination coverage and ensure health equity</li> <li>• Maintain improved ventilation in public indoor spaces</li> <li>• Ensure access to testing, including through point-of-care and at-home tests for all people <ul style="list-style-type: none"> <li>○ Communicate with organizations and places that serve people who are immunocompromised or at <a href="#">high risk</a> for severe disease to ensure they know how to get rapid testing</li> </ul> </li> <li>• Ensure access and equity in vaccination, testing, treatment, community outreach, support services for disproportionately affected populations</li> </ul>

<sup>1</sup>At all levels, people can wear a mask based on personal preference, informed by personal level of risk. People with symptoms, a positive test, or exposure to someone with COVID-19 should wear a mask.

Source: <https://www.cdc.gov/coronavirus/2019-ncov/science/community-levels.html>

## Deaths

There were 0 reported deaths to residents from COVID-19 in the community for this time period.

## Oak Park Residents Vaccinated

Oak Park reports 93 percent of residents receiving their first dose and 83 percent completing their primary vaccination series as of November 16, 2022.

On March 30, 2022, the CDC approved an additional (bivalent) booster for certain populations:

- Everyone 50 and older
- Age 12 and older who are moderately or severely immunocompromised
- Age 18-49 who received a J&J vaccine and a J&J booster

On October 12, 2022, the CDC approved an additional (bivalent) booster for children ages 5-11.

On June 18, 2022, the CDC expanded eligibility for vaccination to children 6 months through 5 years of age. We are expecting the approval of the bivalent booster for children under 5 years before the end of the year. We advise parents of children in this age group to be on the look out for this change.

Everyone must be at least four months post their initial booster to qualify.

The Oak Park Department of Public Health is hosting vaccination clinics for anyone age 6 months and older who need their first, second, or booster dose. Check the Village of Oak Park website for up-to-date clinic information and to register.

- Tuesday, December 6 at Cheney Mansion, 220 N. Euclid Ave.
  - 10 a.m. - noon
  - 4 p.m. - 7 p.m.

## Stay Up to Date with COVID-19 Vaccines Including Boosters

The CDC recommends everyone stay up to date with COVID-19 vaccination, including all primary series doses and boosters for their age group. On September 1, 2022, the CDC announced its recommendation of the updated COVID-19 boosters.

Individuals 12 years of age and older are eligible for a single booster dose of the updated Pfizer-BioNTech (Bivalent) booster if it has been at least two months since they have completed primary vaccination or have received the most recent booster dose with any authorized or approved monovalent COVID-19 vaccine.

Individuals 18 years of age and older are eligible for a single booster dose of the Moderna (Bivalent) booster if it has been at least two months since they have completed primary vaccination or have received the most recent booster dose with any authorized or approved monovalent COVID-19 vaccine.

The Health Department encourages its residents to schedule an appointment for a second booster at local vaccine providers such as Walgreens and CVS.

### Age Range Data

For the week of November 23 – November 30, 2022, Oak Park residents who tested positive for COVID-19 ranged in age from 13 to 95 years.

For the week of November 16 – November 23, 2022, Oak Park residents who tested positive for COVID-19 ranged in age from infancy to 92 years.

Age Range	Cases Nov 23-Nov 30	% of Cases Nov 23-Nov 30	Cases Nov 16-Nov 23	% of Cases Nov 16-Nov 23
0-4	0	0.0%	4	6.0%
5-13	1	1.7%	3	4.5%
14-19	2	3.3%	4	6.0%
20-29	8	13.3%	6	9.0%
30-39	7	11.7%	13	19.4%
40-49	14	23.3%	12	17.9%
50-59	10	16.7%	13	19.4%
60-69	7	11.7%	4	6.0%
70-79	7	11.7%	7	10.4%
80-89	3	5.0%	0	0.0%
90-99	1	1.7%	1	1.5%
Total	60		67	